



**UNITED STATES DEPARTMENT OF COMMERCE**  
**Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/540,028 03/31/00 REIF

G 4780-13

EXAMINER

IM52/1031

KLAUS P STOFFEL ESQ  
COHEN PONTANI LIEBERMAN & PAVANE  
551 FIFTH AVENUE SUITE 1210  
NEW YORK NY 10176

PATTERSON, M

ART UNIT

PAPER NUMBER

1772

DATE MAILED:

10/31/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

**Office Action Summary**

Application No.

09/540,028

Applicant(s)

REIF ET AL.

Examiner

Marc A Patterson

Art Unit

1772

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 31 March 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 20-60 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 20-60 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 3.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

## DETAILED ACTION

### *Election/Restrictions*

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - I. Claims 20 – 60, drawn to a plastic structural element, classified in class 428, subclass 116.
  - II. Claims 61 – 64, drawn to a method of making a plastic structural element, classified in class 264, subclass 177.2.
2. Inventions II and I are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make other and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case the product could be made by a different process such as a process in which a length of the insert does not project out of the plastic structural element.
3. Because these inventions are distinct for the reasons described above, and have acquired a separate status in the art because of their recognized different classification and subject matter, and because the search required for Group I is not required for Group II, restriction for examination purposes as indicated is proper.
4. During a telephone conversation with Mr. Klaus Stoffel on September 28, 2001 a provisional election was made with traverse to prosecute the invention of I, claims 20 – 60.

Art Unit: 1772

Affirmation of this election must be made by applicant in replying to this Office action. Claims 61 – 64 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

***Claim Rejections - 35 USC § 112***

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The terms ‘improved’ and ‘higher’ are relative terms and therefore are indefinite. Also, the meaning of the abbreviated term ‘E – modulus’ is unclear; the term therefore renders the claim indefinite. Clarification and / or correction is required.

7. Claims 24, 26, 32 and 39 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The meanings of the abbreviated terms ‘E – glass fibers,’ ‘E – type glass fibers,’ ‘HT carbon fibers’ and ‘HM carbon’ are unclear; the terms therefore render the claims indefinite. For purposes of examination, ‘E – glass fibers’ and ‘E – type glass fibers,’ will be assumed to mean fiberglass; ‘HT carbon fibers’ and ‘HM carbon’ will be assumed to mean carbon fibers. Clarification and / or correction is required.

Art Unit: 1772

8. Claim 42 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The meanings of the phrases 'layer type composite,' 'lying at the plastic material,' 'lying next to the insert' and 'main forces acting on the insert' are unclear; the meaning of the term 'deviation' is also unclear, as it does not specify the deviation which is claimed (standard deviation, etc.); the phrases and term therefore render the claim indefinite. For purposes of examination, 'layer type composite' will be assumed to mean a layered composite; 'lying at the plastic material' and 'lying next to the insert' will be assumed to mean 'adjacent to the plastic material' and 'adjacent to the insert.' Clarification and / or correction is required.

***Claim Rejections - 35 USC § 102***

9. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

10. Claims 20, 29, 34 – 35 and 52 – 57 are rejected under 35 U.S.C. 102(b) as being anticipated by Reese Jr. (U.S. Patent No. 5,667,866).

With regard to Claim 20, Reese Jr discloses a plastic structural element (bonded sandwich panel; column 2, lines 5 – 21) comprising a plastic material (epoxy; column 2, lines 5 – 21) and at least one insert (honeycomb core 2, lines 5 – 21) embedded in the plastic material (the element is a sandwich); the insert is aluminum (column 3, lines 12 – 15) and therefore exhibits a

Art Unit: 1772

different rigidity compared to the plastic; the insert is a honeycomb, and therefore has finger – shaped projections that lie parallel; the insert is bonded, on its bottom and top, to multiple layers of fiberglass reinforced epoxy (column 2, lines 5 – 21); the innermost layers of epoxy therefore constitute coupling layers to the outermost layers.

With regard to Claim 21, as stated previously, the coupling layer is a reinforced epoxy, and therefore contains a reinforced plastic in an epoxy resin matrix.

With regard to Claim 29, as stated previously, the plastic material contains a reinforced plastic in an epoxy resin matrix.

With regard to Claims 34 – 35, as stated previously, the insert contains aluminum, which is a metal.

With regard to Claims 52 – 57, as stated previously, the insert has a honeycomb shape, and therefore has an enlarged surface area formed by openings which are hook – shaped elements formed by bends in the embedded length; the embedded length is therefore shaped as an anchoring element.

### *Claim Rejections - 35 USC § 103*

11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 1772

12. Claims 22 – 28, 30 – 33, 36 – 48 and 60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Reese Jr. (U.S. Patent No. 5,667,866):

Reese Jr disclose a plastic structural element comprising an insert, a coupling layer and a plastic material as discussed above. With regard to Claims 23 – 27, 31 – 32, 37 – 39 and 45 – 48, Reese Jr teaches that glass fiber and carbon fiber are equivalent as reinforcement for the coupling layers and plastic material (column 2, lines 15 – 21); the claimed aspect of the fiber reinforced plastic being a mixture of carbon reinforced plastic and glass reinforced plastic, and a structural element wherein the fibers and the fiber reinforced plastic of the coupling layer are formed as fiber layers whereby a plurality of fiber layers form a fiber layer system, the individual fiber layers or the individual fiber layer systems made up of a sequence of fiber layers containing different types of fibers, and a plastic structural element wherein the fibers are carbon fibers and glass fibers, at least one layer of glass fibers being arranged to lie against the embedded length of the insert therefore reads on Reese Jr.

With regard to Claims 22, 28, 30, 33, 36 and 40 – 41, Reese Jr fails to disclose a structural element wherein the coupling layer contains fiber reinforced plastic with a fiber content of 30 – 70 vol%, and a fiber content of 45 – 60 vol%, and the plastic material contains a fiber reinforced plastic with a fiber content of 40 – 70 vol% and a fiber content of 55 – 65 vol%, and the coupling layer having a fiber content that is 5 – 15 vol% lower than the fiber content of the plastic material and a plastic structural element wherein the volume fraction of fibers in the coupling layer decreases toward the insert starting from the plastic material.

However, Reese et al disclose a plastic material and coupling layer having a fiber content of 100 volume % (epoxy prepeg lamina; column 2, lines 5 – 21). It would have been obvious for

Art Unit: 1772

one of ordinary skill in the art to vary the fiber content of the coupling layer and plastic material, and the location of the fiber content (which will determine if the volume fraction of fibers in the coupling layer decreases toward the insert starting from the plastic material) since the fiber content of the coupling layer and plastic material, and the location of the fiber content would be readily determined through routine experimentation by one having ordinary skill in the art depending on the desired end result. *In re Boesch and Slaney, 205 USPQ 215 (CCPA 1980).*

With regard to Claims 42 – 44, Reese Jr. fails to disclose a coupling layer wherein the outer and inner layers of the coupling layer are oriented within 60 degrees of each other. However, Reese Jr. discloses a coupling layer wherein the inner and outer layers of the coupling layer are oriented perpendicular (column 2, lines 22 – 38). It would have been obvious for one of ordinary skill in the art to vary the orientation of the inner and outer layers, since the orientation of the layers would be readily determined through routine experimentation by one having ordinary skill in the art depending on the desired end result. *In re Boesch and Slaney, 205 USPQ 215 (CCPA 1980).*

With regard to Claim 60, Reese Jr fails to disclose an insert with end parts that are tapered at an acute angle which is the inverse tangent of 1:30 to 1:10. However, Reese Jr. discloses an insert with end parts that are tapered at an obtuse angle which is the inverse tangent of 1:30 to 1:10 (the core is a honeycomb structure; column 2, lines 5 – 21). It would have been obvious for one of ordinary skill in the art to vary the taper of the end parts, since the taper of the end parts would be readily determined through routine experimentation by one having ordinary skill in the art depending on the desired end result. *In re Boesch and Slaney, 205 USPQ 215 (CCPA 1980).*



13. Claims 49 – 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Reese Jr. (U.S. Patent No. 5,667,866) in view of Komai et al. (U.S. Patent No. 6,238,783).

Reese Jr discloses a plastic structural element comprising an insert as discussed above. Reese Jr fails to disclose an insert which has an aluminum surface which is anodically oxidized and roughened at the portions receiving the coupling layer.

Komai et al teach that it is well known in the art to anodically treat and roughen an aluminum surface prior to bonding with a thermoplastic resin layer for the purpose of obtain good adhesion (column 1, lines 28 – 65).

It therefore would have been obvious for one of ordinary skill in the art at the time Applicant's invention was made to have provided for anodically treating and roughening an aluminum surface prior to bonding with a thermoplastic resin layer in Reese Jr in order to obtain good adhesion as taught by Komai et al.

14. Claims 58 – 59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Reese Jr. (U.S. Patent No. 5,667,866) in view of Clark (U.S. Patent No. 6,004,652).

Reese Jr discloses a plastic structural element comprising an insert as discussed above. Reese Jr fails to disclose an insert which has force transferring reinforcing aramide fibers which are laminated into the plastic material so as to anchor the insert in the plastic material whereby the laminated – in reinforcing fibers are joined to the insert by a loop type connection.

Clark teaches that in the making of a structural element (structural panel; column 1, lines 10 – 21) the use of a single honeycomb layer is equivalent to the use of two honeycomb layers,

Art Unit: 1772

which are held together by glass fibers which are woven through the two layers (therefore a loop connection) for the purpose of creating a panel which withstands high internal pressures (column 1, lines 10 – 21; column 9, lines 31 – 44).

It therefore would have been obvious for one of ordinary skill in the art at the time Applicant's invention was made to have provided for glass fibers which are woven through the two layers (therefore a loop connection) in Reese Jr in order to creating a panel which withstands high internal pressures as taught by Clark. With regard to the claimed aspect of the fibers being aramide fibers which are reinforcing, force transferring fibers, Reese Jr teaches that glass fibers and aramide fibers are equivalent as reinforcement for honeycomb structures (column 2, lines 5 – 21); the claimed aspect of the fibers being aramide (and therefore reinforcing, force transferring fibers) therefore reads on Reese Jr; with regard to the claimed aspect of the fibers being laminated into the plastic material so as to anchor the insert in the plastic material, Reese Jr. teaches that the lamination of the honeycomb core and the epoxy layers occurs during the curing of the epoxy (column 4, lines 1 – 27); the claimed aspect of the fibers being laminated into the plastic material so as to anchor the insert in the plastic material therefore reads on Reese Jr.


### *Conclusion*

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc Patterson, whose telephone number is (703) 305-3537. The examiner can normally be reached on Monday through Friday from 8:30 AM to 5:00 PM. If attempts to reach the examiner by phone are unsuccessful, the examiner's supervisor, Harold

Art Unit: 1772

Pyon, can be reached at (703) 308-2364. FAX communications should be sent to (703) 305-3599. FAXs received after 4 P.M. will not be processed until the following business day.

M.A.P.

  
HAROLD PYON  
SUPERVISORY PATENT EXAMINER  
10/22/01